

CORRES. CONTROL
INCOMING LTR NO.

00023 RF 05

DUE DATE

ACTION

Bill Owens, Governor
Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, Colorado
<http://www.cdphe.state.co.us>Laboratory and Radiation Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090Colorado Department
of Public Health
and Environment

DIST.	LTR	ENC
BERARDINI, J.H.	X	
BOGNAR, E.S.	X	
BROOKS, L.	X	
CARPENTER, M.	X	
CIUCCI, J.A.		
CROCKETT, G.A.		
DECK, C.A.	X	
DEGENHART, K.R.		
DEL VECCHIO, D.		
DIETER, T.J.		
FERRERA, D.W.	X	
GIACOMINI, J.J.		
LINDSAY, D.C.	X	
LONG, J.W.		
LYLE, J.L.		
MARTINEZ, L.A.	X	
NAGEL, R.E.	X	
NESTA, S.	X	
NORTH, K.	X	
SHELTON, D.C.	X	
SPEARS, M.S.	X	
TUOR, N.R.	X	
WIEMELT, K.	X	
WILLIAMS, J.L.		
ZAHM, C.	X	
Freiboth, C.	X	

January 10, 2005

Mr. Joe Legare
Director, Project Management Division
U.S. Department of Energy, Rocky Flats Project Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE: Closeout Report for Building 664 and T664A

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed your letter and the Closeout Report for Building 664 and Trailer 664A, dated January 3, 2005. Thank you for providing the Closeout Report on these Type 1 Facilities for our information.

If you would like to discuss this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinator


COR. CONTROL	X
ADMIN. RECORD	X
PATS/130	

Reviewed for Addressee
Corres. Control RFP1/17/05
Date By

Ref. Ltr. #

DOE ORDER #

54002.1

cc: Gary Morgan, DOE
Mark Aguilar, EPA
Karen Wiemelt, KH
David Abelson, RFCLOG
Administrative Records Building T130GCameron Freiboth, KH
Dave Shelton, KH
Steve Nesta, KH
Sam Garcia, EPA

ADMIN RECORD

IA-A-002520